

**MEPS HC-229H:  
2021 Home Health Visits**

**May 2023**

**Agency for Healthcare Research and Quality  
Center for Financing, Access, and Cost Trends  
5600 Fishers Lane  
Rockville, MD 20857  
(301) 427-1406**

## Table of Contents

<u>Section</u>		<u>Page</u>
A.	Data Use Agreement .....	A-1
B.	Background .....	B-1
	1.0 Household Component.....	B-1
	2.0 Medical Provider Component.....	B-1
	3.0 Survey Management and Data Collection .....	B-2
C.	Technical and Programming Information.....	C-1
	1.0 General Information.....	C-1
	2.0 Data File Information.....	C-2
	2.1 Codebook Structure .....	C-4
	2.2 Reserved Codes .....	C-5
	2.3 Codebook Format .....	C-5
	2.4 Variable Source and Naming Conventions .....	C-6
	2.4.1 Variable-Source Crosswalk.....	C-6
	2.4.2 Expenditure and Source of Payment Variables .....	C-6
	2.5 File Contents.....	C-7
	2.5.1 Survey Administration Variables.....	C-7
	2.5.2 Home Health Event Variables.....	C-8
	2.5.3 Flat Fee Variables .....	C-9
	2.5.4 Condition Codes.....	C-10
	2.5.5 Expenditure Data.....	C-10
	3.0 Survey Sample Information .....	C-14
	3.1 Discussion of Pandemic Effects on Quality of 2021 MEPS Data .....	C-14
	3.1.1 Summary .....	C-14
	3.1.2 Overview .....	C-14
	3.1.3 Data Quality Issues for MEPS in 2021 Directly Associated with Data Quality Concerns for the NHIS and CPS.....	C-15

<u>Section</u>	<u>Page</u>	
3.1.4	Modifications to the MEPS HC 2021 Sample Design .....	C-16
3.1.5	Data Quality Issues for MEPS for FY 2021 .....	C-17
3.2	Sample Weight (PERWT21F) .....	C-17
3.3	Details on Person Weight Construction .....	C-17
3.3.1	MEPS Panel 23 Weight Development Process .....	C-18
3.3.2	MEPS Panel 24 Weight Development Process .....	C-19
3.3.3	MEPS Panel 25 Weight Development Process .....	C-19
3.3.4	MEPS Panel 26 Weight Development Process .....	C-19
3.3.5	The Final Weight for 2021 .....	C-20
3.4	Coverage .....	C-20
3.5	Using MEPS Data for Trend Analysis .....	C-21
4.0	Strategies for Estimation .....	C-22
4.1	Developing Event-Level Estimates .....	C-22
4.2	Person-Based Estimates for Home Health Care .....	C-24
4.3	Variables with Missing Values .....	C-24
4.4	Variance Estimation (VARPSU, VARSTR) .....	C-24
4.4.1	Taylor-series Linearization Method .....	C-25
4.4.2	Balanced Repeated Replication (BRR) Method .....	C-27
5.0	Merging/Linking MEPS Data Files .....	C-27
	References .....	C-28
D.	Variable-Source Crosswalk .....	D-1

## A. Data Use Agreement

---

Individual identifiers have been removed from the micro-data contained in these files. Nevertheless, under Sections 308 (d) and 903 (c) of the Public Health Service Act (42 U.S.C. 242m and 42 U.S.C. 299 a-1), data collected by the Agency for Healthcare Research and Quality (AHRQ) and/or the National Center for Health Statistics (NCHS) may not be used for any purpose other than for the purpose for which they were supplied; any effort to determine the identity of any reported cases is prohibited by law.

Therefore in accordance with the above referenced Federal Statute, it is understood that:

1. No one is to use the data in this data set in any way except for statistical reporting and analysis; and
2. If the identity of any person or establishment should be discovered inadvertently, then (a) no use will be made of this knowledge, (b) the Director Office of Management AHRQ will be advised of this incident, (c) the information that would identify any individual or establishment will be safeguarded or destroyed, as requested by AHRQ, and (d) no one else will be informed of the discovered identity; and
3. No one will attempt to link this data set with individually identifiable records from any data sets other than the Medical Expenditure Panel Survey or the National Health Interview Survey. Furthermore, linkage of the Medical Expenditure Panel Survey and the National Health Interview Survey may not occur outside the AHRQ Data Center, NCHS Research Data Center (RDC) or the U.S. Census RDC network.

By using these data you signify your agreement to comply with the above stated statutorily based requirements with the knowledge that deliberately making a false statement in any matter within the jurisdiction of any department or agency of the Federal Government violates Title 18 part 1 Chapter 47 Section 1001 and is punishable by a fine of up to \$10,000 or up to 5 years in prison.

The Agency for Healthcare Research and Quality requests that users cite AHRQ and the Medical Expenditure Panel Survey as the data source in any publications or research based upon these data.

## **B. Background**

---

### **1.0 Household Component**

The Medical Expenditure Panel Survey (MEPS) provides nationally representative estimates of health care use, expenditures, sources of payment, and health insurance coverage for the U.S. civilian noninstitutionalized population. The MEPS Household Component (HC) also provides estimates of respondents' health status, demographic and socio-economic characteristics, employment, access to care, and satisfaction with health care. Estimates can be produced for individuals, families, and selected population subgroups. The panel design of the survey includes five rounds of interviews covering two full calendar years. Additional rounds were added in 2020 and 2021, covering a third and fourth year respectively, to compensate for the smaller number of completed interviews in later panels. These extra rounds provide data for examining person-level changes in selected variables such as expenditures, health insurance coverage, and health status. Using computer assisted personal interviewing (CAPI) technology, information about each household member is collected, and the survey builds on this information from interview to interview. All data for a sampled household are reported by a single household respondent.

The MEPS HC was initiated in 1996. Each year a new panel of sample households is selected. Because the data collected are comparable to those from earlier medical expenditure surveys conducted in 1977 and 1987, it is possible to analyze long-term trends. Each annual MEPS HC sample size is about 15,000 households. Data can be analyzed at either the person or event level. Data must be weighted to produce national estimates.

The set of households selected for each panel of the MEPS HC is a subsample of households participating in the previous year's National Health Interview Survey (NHIS) conducted by the National Center for Health Statistics. The NHIS sampling frame provides a nationally representative sample of the U.S. civilian noninstitutionalized population. In 2006, the NHIS implemented a new sample design, which included Asian persons in addition to households with Black and Hispanic persons in the oversampling of minority populations. NHIS introduced a new sample design in 2016 that discontinued oversampling of these minority groups.

### **2.0 Medical Provider Component**

Upon completion of the household CAPI interview and obtaining permission from the household survey respondents, a sample of medical providers are contacted by telephone to obtain information that household respondents cannot accurately provide. This part of the MEPS is called the Medical Provider Component (MPC) and information is collected on dates of visits, diagnosis and procedure codes, charges and payments. The Pharmacy Component (PC), a subcomponent of the MPC, does not collect charges or diagnosis and procedure codes but does collect drug detail information, including National Drug Code (NDC) and medicine name, as well as amounts of payment. The MPC is not designed to yield national estimates. It is primarily used as an imputation source to supplement/replace household reported expenditure information.

### **3.0 Survey Management and Data Collection**

MEPS HC and MPC data are collected under the authority of the Public Health Service Act. Data are collected under contract with Westat, Inc. (MEPS HC) and Research Triangle Institute (MEPS MPC). Data sets and summary statistics are edited and published in accordance with the confidentiality provisions of the Public Health Service Act and the Privacy Act. The National Center for Health Statistics (NCHS) provides consultation and technical assistance.

As soon as data collection and editing are completed, the MEPS survey data are released to the public in staged releases of micro data files and tables via the [MEPS website](#) and [datatools.ahrq.gov](http://datatools.ahrq.gov).


Additional information on MEPS is available from the MEPS project manager or the MEPS public use data manager at the Center for Financing, Access, and Cost Trends, Agency for Healthcare Research and Quality, 5600 Fishers Lane, Rockville, MD 20857 (301-427-1406).

## C. Technical and Programming Information

### 1.0 General Information

This documentation describes one in a series of public use event files from the 2021 Medical Expenditure Panel Survey (MEPS) Household Component (HC) and Medical Provider Component (MPC). Released as an ASCII data file (with related SAS, SPSS, R, and Stata programming statements and data user information) and a SAS data set, SAS transport file, Stata data set, and Excel file, the 2021 Home Health Event public use file provides detailed information on home health events for a nationally representative sample of the civilian noninstitutionalized population of the United States. Data from the Home Health event file can be used to make estimates of home health (HH) event utilization and expenditures for the calendar year 2021. The file contains 51 variables and has a logical record length of 206 with an additional 2-byte carriage return/line feed at the end of each record. As illustrated below, this file consists of MEPS survey data obtained in the 2021 portion of Round 7 and all of Rounds 8 and 9 for Panel 23; the 2021 portion of Rounds 5 and 7, and all of Round 6 for Panel 24; and the 2021 portion of Round 3 and all of Rounds 4 and 5 for Panel 25; and Rounds 1 and 2, and the 2021 portion of Round 3 for Panel 26 (i.e., the rounds for the MEPS panels covering the calendar year 2021).

Full year (FY) 2021 is the first data year to include four panels of data; Panel 23 was extended to include Rounds 7, 8, and 9, and Panel 24 was extended to include Rounds 6 and 7.



Counts of home health utilization are based entirely on household reports. Agency home health providers were sampled into the MEPS MPC (see Section B. 2.0). Only those providers for whom the respondent signed a permission form were included in the MPC. Information from the MPC was used to supplement expenditure and payment data reported by the household, and does not affect use estimates.

Data from this event file can be merged with other 2021 MEPS HC data files to append person-level data such as demographic characteristics or health insurance coverage to each home health record.

This file can also be used to construct summary variables for expenditures, sources of payment, and related aspects of home health events for the calendar year 2021. Aggregate annual person-level information on the use of home health providers and other health services is provided on the 2021 Consolidated file, where each record represents a MEPS sampled person.

This document offers a brief overview of the types and levels of data provided, and the content and structure of the file and the codebook. It contains the following sections:

- Data File Information
- Survey Sample Information
- Strategies for Estimation
- Merging/Linking MEPS Data Files
- References
- Variable-Source Crosswalk

For more information on the MEPS HC sample design, see Chowdhury et al (2019). For information on the MEPS MPC design, see RTI (2019). A copy of the survey instrument used to collect the information on this file is available on the [MEPS website](#).

## 2.0 Data File Information

The 2021 Home Health event public use data set consists of one event-level data file. The file contains characteristics associated with the home health event and imputed expenditure data.

The home health services represented in this file are provided by three kinds of home health providers: formal (paid) home health agency providers, paid independent providers (self-employed), and informal providers who do not reside in the same household as the MEPS sampled person (care from informal providers who live in the same household as the sampled person are not represented on this file).

Each record on this file represents a household-reported home health event. A home health event represents a MONTH of similar services provided to a sampled person by the same PROVIDER (i.e., an employer in the case of formal agency care and an individual in the case of paid independent and informal care providers). For example, if a person received, from Provider Agency A, four visits from a nurse, ten visits from a homemaker, and four visits from a physical therapist each month during the months of January, February, and March, and also received, from Provider B, a physician visit in the months of January and February, there would be five event records on the file (NOT 56 records). There would be one event record representing all the



visits from Provider A for the month of January, another record for Provider A February visits, a third Provider A record for the March visits, a fourth record representing Provider B physician visit in January and a fifth representing the Provider B physician visit in February. Data were collected (and represented on this file) in this manner because agencies, hospitals, and nursing homes provide MEPS expenditure data in this manner. To be consistent with the definition of what is considered a home health event on this file, this same definition (i.e., a month of similar services) was applied to all types of home health providers.

This public use data set contains 9,816 home health records; of these records, 9,700 are associated with persons having a positive person-level weight (PERWT21F). It includes all records related to home health events for all household members who resided in eligible responding households and for whom at least one home health event was reported. Each record represents one household-reported home health event that occurred during the calendar year 2021. Some persons may have been reported to have multiple events and thus will be represented in multiple records on the file. Other persons may have been reported to have no events and thus will have no records on this file. These data were collected during the 2021 portion of Round 7 and all of Rounds 8 and 9 for Panel 23; the 2021 portion of Rounds 5 and 7, and all of Round 6 for Panel 24; and the 2021 portion of Round 3, and all of Rounds 4 and 5 for Panel 25; and Rounds 1 and 2, and the 2021 portion of Round 3 for Panel 26 of the MEPS HC. The persons represented in this file had to meet either (a) or (b) below:

- a) Be classified as a key in-scope person who responded for his or her entire period of 2021 eligibility (i.e., persons with a positive 2021 full-year person-level weight (PERWT21F > 0)), or
- b) Be an eligible member of a family all of whose key in-scope members have a positive person-level weight (PERWT21F > 0). (Such a family consists of all persons with the same value for FAMIDYR.) That is, the person must have a positive full-year family-level weight (FAMWT21F > 0). Note that FAMIDYR and FAMWT21F are variables on the 2021 Full Year Consolidated Data file.

Persons with no home health events for 2021 are not included on this event-level Home Health file but are represented on the person-level 2021 Full-Year Population Characteristics file.

Home health providers include formal, i.e., paid, and informal, i.e., unpaid, providers. Formal or paid providers include home health agencies and other independent paid providers. Informal or unpaid providers include family and friends that reside outside of the sampled person's household.

For home health agencies it is important to distinguish between the provider and the home health worker. In these cases, the provider is the agency or the facility that employs the workers. The home health workers are the people who administer the care. Examples of home health care workers are the following: nurses, physical therapists, home health aides, homemakers, and hospice workers, among others. These examples are generally the types of workers associated with agencies. Paid independent providers generally include companions, nursing assistants, physicians, etc. For each record on this file, one or more types of workers can be reported. The respondent is asked to mention all of the types of home health workers who provided home

health care (since records represent a month of service, there can be more than one type of worker on a single record). For example, an agency that provides two types of aides that provide home health care to the same person during a specific month is represented as one event on the file even though two workers employed at the same agency provided care. When using this file, analysts must keep in mind that a record on the file corresponds to a provider entity, not an individual or particular worker.

Expenditure data for home health agency events are collected exclusively in the MPC. Expenditure data for other paid independent home health care events are collected from the household since these types of events are not included in the MPC. Friends, family, and volunteers providing home health care to a person are considered unpaid and are not included in the MPC. No expenditure information is available for them.

Each home health record also includes the following: the month the provider visited the household; type of provider; types of services provided and if this was a repeat event; whether or not care was received due to hospitalization; whether or not a person was taught how to use medical equipment; imputed sources of payment, total payment, and total charge for the home health event expenditure; and a full-year person-level weight.

To append person-level information such as demographic or health insurance coverage to each event record, data from this file can be merged with 2021 MEPS HC person-level data (e.g. Full-Year Consolidated or Full-Year Population Characteristics files) using the person identifier, DUPERSID. Home Health events can also be linked to the MEPS 2021 Medical Conditions file. Please see Section 5.0 or the MEPS 2021 Appendix File, HC-229I, for details on how to link MEPS data files.

## **2.1 Codebook Structure**

For most variables on the Home Health event file, both weighted and unweighted frequencies are provided in the accompanying codebook. The exceptions to this are weight variables and variance estimation variables. Only unweighted frequencies of these variables are included in the accompanying codebook file. See the Weights Variables list in Section D, Variable-Source Crosswalk.

The codebook and data file sequence list variables in the following order:

- Unique person identifier
- Unique home health event identifier
- Home health characteristic variables
- Imputed expenditure variables
- Weight and variance estimation variables

Note that the person identifier is unique within this data year.

## 2.2 Reserved Codes

The following reserved code values are used:

Value	Definition
-1 INAPPLICABLE	Question was not asked due to skip pattern
-7 REFUSED	Question was asked and respondent refused to answer question
-8 DK	Question was asked and respondent did not know answer or the information could not be ascertained
-15 CANNOT BE COMPUTED	Value cannot be derived from data

The value -15 (CANNOT BE COMPUTED) is assigned to MEPS constructed variables in cases where there is not enough information from the MEPS instrument to calculate the constructed variables. “Not enough information” is often the result of skip patterns in the data or missing information resulting from MEPS responses of -7 (REFUSED) or -8 (DK). Note that reserved code -8 includes cases where the information from the question was “not ascertained” or where the respondent chose “don’t know”.

Generally, values of -1, -7, -8, and -15 for non-expenditure variables have not been edited on this file. The values of -1 and -15 can be edited by the data users/analysts by following the skip patterns in the [HC survey questionnaire](#) located on the MEPS website.

## 2.3 Codebook Format

The codebook describes an ASCII data set (although the data are also being provided in a SAS data set, a SAS transport file, a Stata data set, and an Excel file). The following codebook items are provided for each variable:

Identifier	Description
Name	Variable name
Description	Variable descriptor
Format	Number of bytes
Type	Type of data: numeric (indicated by NUM) or character (indicated by CHAR)
Start	Beginning column position of variable in record
End	Ending column position of variable in record

## **2.4 Variable Source and Naming Conventions**

In general, variable names reflect the content of the variable. Generally, imputed/edited variables end with an “X”.

As variable collection, universe, or categories are altered, the variable name will be appended with “\_Myy” to indicate in which year the alterations took place. Details about these alterations can be found throughout this document.

### **2.4.1 Variable-Source Crosswalk**

Variables were derived either from the HC questionnaire itself, the MPC data collection instrument, or the CAPI. The source of each variable is identified in Section D Variable-Source Crosswalk in one of four ways:

1. Variables derived from CAPI or assigned in sampling are so indicated as “CAPI derived” or “Assigned in sampling,” respectively;
2. Variables that come from one or more specific questions have those questionnaire sections and question numbers indicated in the “Source” column; questionnaire sections are identified as:
  - EV - Event Roster section
  - HH - Home Health Event section
  - CP - Charge Payment section
3. Variables constructed from multiple questions using complex algorithms are labeled “Constructed” in the “Source” column; and
4. Variables that have been edited or imputed are so indicated.

### **2.4.2 Expenditure and Source of Payment Variables**

The names of the expenditure and source of payment variables follow a standard convention, are seven characters in length, and end in an “X” indicating edited/imputed. Please note that imputed means that a series of logical edits, as well as an imputation process to account for missing data, have been performed on the variable.

The total sum of payments and the 10 source of payment variables are named in the following way:

The first two characters indicate the type of event:

IP - inpatient stay	OB - office-based visit
ER - emergency room visit	OP - outpatient visit
HH - home health visit	DV - dental visit
OM - other medical equipment	RX - prescribed medicine

In the case of the source of payment variables, the third and fourth characters indicate:

SF - self or family	OF - other federal government
MR - Medicare	SL - state/local government
MD - Medicaid	WC - Workers' Compensation
PV - private insurance	OT - other insurance
VA - Veterans Administration/CHAMPVA	TR - TRICARE
	XP - sum of payments

In addition, the total charge variable is indicated by TC in the variable name.

The fifth and sixth characters indicate the year (21). The seventh character, "X", indicates the variable is edited/imputed.

For example, HHSF21X is the edited/imputed amount paid by self or family for 2021 home health expenditures.

## **2.5 File Contents**

### **2.5.1 Survey Administration Variables**

#### ***Person Identifiers (DUID, PID, DUPERSID)***

The definitions of Dwelling Units (DUs) in the MEPS Household Survey are generally consistent with the definitions employed for the National Health Interview Survey (NHIS). The dwelling unit ID (DUID) is a seven-digit number consisting of a 2-digit panel number followed by a five-digit random number assigned after the case was sampled for MEPS. A three-digit person number (PID) uniquely identifies each person within the DU. The ten-character variable DUPERSID uniquely identifies each person represented on the file and is the combination of the variables DUID and PID. IDs begin with the 2-digit panel number.

For detailed information on dwelling units and families, please refer to the documentation for the 2021 Full Year Population Characteristics file.

### ***Record Identifier (EVNTIDX)***

EVNTIDX uniquely identifies each event (i.e., each record on the home health file) and is the variable required to link home health events to data files containing details on conditions (MEPS 2021 Medical Conditions file). EVNTIDX begins with the 2-digit panel number and ends with the 2-digit event type number. For details on linking see Section 5.0 or the MEPS 2021 Appendix File, HC-229I.

### ***Round Indicator (EVENTRN)***

EVENTRN indicates the round in which the home health event was reported. Please note: Rounds 7 (partial), 8, and 9 are associated with MEPS survey data collected from Panel 23. Likewise, Rounds 5 (partial), 6, and 7 (partial) are associated with MEPS survey data collected from Panel 24. Rounds 3 (partial), 4, and 5 are associated with data collected from Panel 25; and Rounds 1, 2, and 3 (partial) are associated with data collected from Panel 26.

### ***Panel Indicator (PANEL)***

PANEL is a constructed variable used to specify the panel number for the person. PANEL will indicate either Panel 23, Panel 24, Panel 25, or Panel 26 for each person on the file. Panel 23 is the panel that started in 2018, Panel 24 is the panel that started in 2019, Panel 25 is the panel that started in 2020, and Panel 26 is the panel that started in 2021.

## **2.5.2 Home Health Event Variables**

This file contains variables describing home health events reported by household respondents in the Home Health Section of the MEPS HC survey questionnaire.

### ***Date of Event (HHDATEYR, HHDATEMM)***

The date variables (HHDATEYR and HHDATEMM) indicate the year and month that the household respondent reported as the year and month of occurrence for this type of home health event. An artifact of the data collection for the variable HHDATEYR is that a person may have started receiving that type of home health care from that provider prior to 2021. These variables should not be interpreted as “true” start dates.

### ***Characteristics of Event (MPCELIG-HCarWrkrNonProfNone\_M18)***

The HC questionnaire asked the respondent to indicate whether the home health provider event(s) for each month’s services were provided through an agency or an independent paid

provider (SELFAGEN). The response to the SELFAGEN question dictated the skip pattern CAPI followed regarding the questions in the home health section of the HC questionnaire. The questionnaire also asked respondents if the provider was paid or whether a friend, relative, or volunteer (HHTYPE) provided the home health services. The constructed variable MPCELIG indicates whether the home health provider event was eligible for MPC data collection and the type of imputation process the event went through. MPCELIG is a more accurate variable for determining whether the event was an agency, a paid independent, or an informal care event. However, SELFAGEN is a more accurate variable for determining the home health questions asked of the respondent. For all members receiving care from an agency, hospital, or nursing home, the respondent was asked to identify the type of skilled home health worker (CNA\_M18-HCarWrkrProfNone\_M18) and the type of non-skilled home health worker (COMPANN\_M18-HCarWrkrNonProfNone\_M18) they saw - for example, a certified nursing assistant as the skilled worker and a home health aide as the non-skilled worker.

Analysts should keep in mind that these identifications by household respondents are subjective in nature, are not mutually exclusive or collectively exhaustive, and should not be used to make certain estimates. For example, a person on one type of insurance may identify an individual providing home health care services to them as a personal care attendant while an individual having a different type of insurance coverage may identify that same worker as a home care aide. Making estimates of personal care attendants or home care aides based on their identification by household respondents and treating these types of workers as mutually exclusive groups will result in inaccurate estimates. Respondents may also have indicated that a person was seen by more than one home health care worker during a single event. For example, since an event is a month of services, a respondent may have reported that a person was seen by a nurse, a physical therapist, and/or a home health aide during a single event.

### ***Frequency of Event and Visit Details (FREQCY-VSTRELCN)***

Several variables identify the frequency and length of home health events (FREQCY-DAYSPMO) and whether or not the same services were received during each month (SAMESVCE). Frequency of event variables (FREQCY-DAYSPMO) were used as building blocks to construct HHDAYS. HHDAYS indicates the number of days the person received care during that event (i.e., month of care). Frequency variables can be combined to get a measure of the intensity of care. Regardless of the type of provider, all respondents were asked if the home health services received were due to a medical condition (VSTRELCN).

### **2.5.3 Flat Fee Variables**

A flat fee is the fixed dollar amount a person is charged for a package of health care services provided during a defined period of time. Because MEPS does not collect flat fee information about home health events, no flat fee variables are included in this file.

## **2.5.4 Condition Codes**

Information on household-reported medical conditions associated with each home health event is NOT provided on this file. To obtain complete condition information associated with an event, the analyst must link to the 2021 Medical Conditions file. Details on how to link to the MEPS 2021 Medical Conditions file are provided in the MEPS 2021 Appendix File, HC-229I.

## **2.5.5 Expenditure Data**

### ***Definition of Expenditures***

Expenditures on this file refer to what is paid for health care services. More specifically, expenditures in MEPS are defined as the sum of payments for care received, including out-of-pocket payments and payments made by private insurance, Medicaid, Medicare, and other sources. The definition of expenditures used in MEPS differs slightly from its predecessors, the 1987 NMES and 1977 NMCES surveys, where “charges” rather than sum of payments were used to measure expenditures. This change was adopted because charges became a less appropriate proxy for medical expenditures during the 1990s due to the increasingly common practice of discounting. Although measuring expenditures as the sum of payments incorporates discounts in the MEPS expenditure estimates, these estimates do not incorporate any payment not directly tied to specific medical care events, such as bonuses or retrospective payment adjustments paid by third party payers. Another general change from the two prior surveys is that charges associated with uncollected liability, bad debt, and charitable care (unless provided by a public clinic or hospital) are not counted as expenditures because there are no payments associated with those classifications. While charge data are provided on this file, data users/analysts should use caution when working with these data because a charge does not typically represent actual dollars exchanged for services or the resource costs of those services, nor are they directly comparable to the expenditures defined in the 1987 NMES. For details on expenditure definitions, please refer to the following, “Informing American Health Care Policy” (Monheit et al., 1999). AHRQ has developed factors to apply to the 1987 NMES expenditure data to facilitate longitudinal analysis. These factors can be accessed via the CFACT Data Center. For more information, see the [Data Center section of the MEPS website](#). If examining trends in MEPS expenditures, please refer to Section 3.5 for more information.

### ***Data Editing and Imputation Methodologies of Expenditure Variables***

The general methodology used for editing and imputing expenditure data is described below. However, please note, the MPC included home health events provided by an agency and did not include home health care provided by paid independent providers. Although the general procedures remain the same for all home health events, there were some differences in the editing and imputation methodologies applied to those events followed in the MPC and those events not followed in the MPC. Analysts should note that home health care provided by friends, family, or volunteers was assumed to be free and was not included in any imputation process. Please see below for details on the differences between these editing/imputation methodologies.



Home health expenditure data for agency, hospital, and nursing home providers were collected exclusively from the MPC (i.e., household respondents were not asked to report home health expenditures from these types of providers). The MPC attempted to contact 100 percent of the agency, hospital, and nursing home health providers for whom household respondents provided consent to contact. Since paid independent home health providers were not included in the MPC, all expenditure data from these providers were collected from household respondents.

### **General Data Editing Methodology**

Logical edits were used to resolve internal inconsistencies and other problems in the HC and the MPC survey-reported data. The edits were designed to preserve partial payment data from households and providers and to identify actual and potential sources of payment for each household-reported event. In general, these edits accounted for outliers, co-payments or charges reported as total payments, and reimbursed amounts that were reported as out-of-pocket payments. In addition, edits were implemented to correct for mis-classifications between Medicare and Medicaid and between Medicare HMOs and private HMOs as payment sources. These edits produced a complete vector of expenditures for some events and provided the starting point for imputing missing expenditures in the remaining events.

### **Imputation Methodologies**

The predictive mean matching imputation method was used to impute missing expenditures. This procedure uses regression models (based on events with completely reported expenditure data) to predict total expenses for each event. Then, for each event with missing payment information, a donor event with the closest predicted payment with the same pattern of expected payment sources as the event with the missing payment was used to impute the missing payment value.

A weighted sequential hot-deck procedure was used to impute the missing total charges. This procedure uses survey data from respondents to replace missing data while taking into account the persons' weighted distribution in the imputation process.

### **Home Health Data Editing and Imputation**

Expenditures for home health events were developed in a sequence of logical edits and imputations. (Analysts should note that home health care provided by friends, family, or volunteers was assumed not to have associated expenditures and was not included in any imputation process. All expenditures for home health care provided by informal care providers were assigned “-1” (Inapplicable) because those types of events were skipped out of (never asked) the questions regarding expenditures.) “Household” edits were applied to sources and amounts of payment for all household-reported events for paid independent providers and unmatched agency providers. “MPC” edits were applied to provider-reported sources and amounts of payment for records matched to household-reported events for all agency home health providers. Both sets of edits were used to correct obvious errors in the reporting of expenditures. Imputations for independent paid providers and for agencies were conducted separately. Logical edits were used to sort each event into a specific category for the imputations. Events with complete expenditures were flagged as potential donors while events with missing expenditure data were assigned to various recipient categories. Each event with missing expenditure data was assigned to a recipient category based on the extent of its missing charge and expenditure data. For example, an event with a known total charge but no expenditure information was assigned to one category, while an event with a known total charge and partial

expenditure information was assigned to a different category. Similarly, events without a known total charge and no or partial expenditure information were assigned to various recipient categories.

Expenditures were imputed using a predictive mean matching method. The donor pool in these imputations includes events with complete expenditures from the HC for paid independent providers (HHP) and restricted to the MPC for agency providers (HHA). As stated previously, home health care provided by friends, family, or volunteers (informal, MPCELIG = 3) was assumed not to have expenditures associated with it and was not included in any imputation process.

### ***Imputation Flag Variable (IMPFLAG)***

IMPFLAG is a six-category variable that indicates if the event contains complete Household Component (HC) or Medical Provider Component (MPC) data, was fully or partially imputed, or was imputed in the capitated imputation process (for OP and MV events only). The following list identifies how the imputation flag is coded; the categories are mutually exclusive.

IMPFLAG = 0 not eligible for imputation (includes zeroed-out events)

IMPFLAG = 1 complete HC data

IMPFLAG = 2 complete MPC data

IMPFLAG = 3 fully imputed

IMPFLAG = 4 partially imputed

IMPFLAG = 5 complete MPC data through capitation imputation (not applicable to HH)

### ***Flat Fee Expenditures***

A flat fee is the fixed dollar amount a person is charged for a package of health care services provided during a defined period of time. Because MEPS does not collect flat fee information about home health events, there are no flat fee expenditure data included in this file.

### ***Zero Expenditures***

There are some medical events reported by respondents for which the payments were zero. This could occur for several reasons including (1) free care was provided, (2) bad debt was incurred, (3) follow-up events were provided without a separate charge (e.g., after a surgical procedure), or (4) the event was paid for through government or privately-funded research or clinical trials. If all of the medical events for a person fell into one of these categories, then the total annual expenditures for that person would be zero. All expenditures for home health care provided by informal care providers (family, friends, or volunteers, MPCELIG = 3) were assigned “-1”

(Inapplicable) because those types of events were skipped out of (never asked) questions regarding expenditures.

### ***Sources of Payment***

In addition to total expenditures, variables are provided which itemize expenditures according to major source of payment categories. These categories are:

1. Out-of-pocket by User (self or family) - includes any deductible, coinsurance, and copayment amounts not covered by other sources, as well as payments for services and providers not covered by the person's insurance or other sources,
2. Medicare,
3. Medicaid,
4. Private Insurance,
5. Veterans Administration/CHAMPVA, excluding TRICARE,
6. TRICARE,
7. Other Federal Sources - includes Indian Health Service, military treatment facilities, and other care by the federal government,
8. Other State and Local Source - includes community and neighborhood clinics, state and local health departments, and state programs other than Medicaid,
9. Workers' Compensation, and
10. Other Unclassified Sources - includes sources such as automobile, homeowner's, and liability insurance, and other miscellaneous or unknown sources.

### ***Home Health Expenditure Variables (HHSF21X - HHXP21X)***

Home health agency, hospital, and nursing home events are sampled at a rate of 100% for the MPC. Households were not asked any expenditure-related questions regarding these types of events; therefore, there are no household-reported expenditure data for these events. Conversely, paid independent providers are not included in the MPC. Household-reported responses are the only data available for these types of events. All expenditure data for paid independent providers are fully imputed from household-reported expenditures. There are no expenditure data for informal care providers. Informal care (MPCELIG = 3, unpaid care provided by family, friends, or volunteers) was assigned "-1", (Inapplicable), in all expenditure categories.

The constructed variable MPCELIG is provided on this file. MPCELIG indicates whether the home health provider event was eligible for MPC data collection, and MPCELIG determines the imputation process applied to that event.

All of these expenditures have gone through an editing and imputation process and have been rounded to the nearest penny. HHSF21X - HHOT21X are the 10 sources of payment. HHXP21X is the sum of the 10 sources of payment for the home health expenditures, and HHTC21X is the total charge. The 10 sources of payment are: self/family (HHSF21X), Medicare (HHMR21X), Medicaid (HHMD21X), private insurance (HHPV21X), Veterans Administration/CHAMPVA (HHVA21X), TRICARE (HHTR21X), other federal sources (HHOF21X), state and local (non-federal) government sources (HHSL21X), Workers' Compensation (HHWC21X), and other insurance (HHOT21X). Analysts can determine if a home health event was provided by an agency or by some other paid independent provider by subsetting the variable MPCELIG to the appropriate and desired value.

### ***Rounding***

Expenditure variables on the 2021 home health event file have been rounded to the nearest penny. Person-level expenditure information to be released on the MEPS 2021 Full-Year Consolidated File will be rounded to the nearest dollar. It should be noted that using the 2021 MEPS event files to create person-level totals will yield slightly different totals than those on the consolidated file. These differences are due to rounding only. Moreover, in some instances, the number of persons having expenditures on the event files for a particular source of payment may differ from the number of persons with expenditures on the person-level expenditure file for that source of payment. This difference is also an artifact of rounding only.

## **3.0 Survey Sample Information**

### **3.1 Discussion of Pandemic Effects on Quality of 2021 MEPS Data**

#### **3.1.1 Summary**

The challenges associated with MEPS data collection in 2020 after the onset of the COVID-19 pandemic continued into 2021. The major modifications to the standard MEPS study design remained in effect, permitting data to be collected safely but with accompanying concerns related to the quality of the data obtained. These data quality issues are discussed below. The suggestion made in the documentation for the FY 2020 MEPS Consolidated PUF data (as well as for most federal major in-person surveys conducted in 2021 and 2020) still holds. Researchers are counseled to take care in the interpretation of estimates based on data collected from these two calendar years. This includes the comparison of such estimates to those of other years and corresponding trend analyses.

#### **3.1.2 Overview**

Section 3.1 of the documentation for the [2020 Full Year Consolidated Data File](#) provides a general discussion of the impact of the COVID-19 pandemic on several other major in-person federal surveys as well as on MEPS. In addition, it offers a detailed look at how MEPS was

modified to permit safe data collection and the development of useful estimates at a time when the way the U.S. health care system functioned underwent many transformations in order to meet population needs.

In this corresponding 2021 document, focus is placed mostly on MEPS data quality in 2021. However, it also includes how data quality issues related to the two federal surveys most closely connected to it, the National Health Interview Survey (NHIS) carried out by the National Center for Health Statistics (NCHS) and the Current Population Survey (CPS) carried out by the Census Bureau, have an impact on the data quality issues of MEPS.

Specifically, the following discussion describes: 1) data quality issues experienced by the NHIS and CPS that affect MEPS; 2) modifications to the MEPS sample design in 2021 due to the continuing pandemic; and 3) potential data quality issues in the FY 2021 MEPS data related to the COVID-19 pandemic.

### **3.1.3 Data Quality Issues for MEPS in 2021 Directly Associated with Data Quality Concerns for the NHIS and CPS**

Households fielded for Round 1 of MEPS in each year have been selected as a subsample from among the NHIS responding households from the prior year. The MEPS first year panel in 2021 was Panel 26. The households fielded for MEPS in Round 1 of Panel 26 were thus selected from NHIS responding households in 2020. It is important to note here that the NHIS households eligible for use in MEPS are restricted to the first three quarters of the NHIS as the fourth quarter households cannot be made available in time for MEPS data collection early in the next calendar year.

The onset of the pandemic in 2020 at a national level took place in mid-March of that year, when the NHIS data collection for the first quarter of 2020 was virtually completed and that of the second quarter was about to begin. The NHIS had to make a rapid transition from in-person to telephone interviewing in order to attempt to gather NHIS data for the second quarter of 2020. While NCHS was able to make the transition, assessments made by NCHS at the time indicated a much lower response rate than is typically experienced during Quarter 2 and the quality of Quarter 2 data was of particular concern. NCHS thus modified the 2020 NHIS sample design for Quarters 3 and 4. A randomly selected subsample of the sampled housing units originally selected for fielding in Quarters 3 and 4 of 2020 was removed from the sample to be fielded. This reduced sample for Quarters 3 and 4 was then enhanced by randomly selecting responding households from the 2019 NHIS for interviewing in 2020 as well. In consideration of the data quality issues and sample design modifications associated with the 2020 NHIS, the MEPS sample design for FY 2021 was modified, as will be discussed shortly.

With respect to the CPS, the quality of CPS data is always of particular importance to MEPS as March CPS-ASEC estimates serve as the basis of control totals for the raking component of the MEPS weighting process. These control totals incorporate the following demographic variables: age, sex, race/ethnicity, region, MSA status, educational attainment, and poverty status. The CPS estimates of educational attainment and poverty status used in the development of the FY 2021 MEPS PUFs were of particular concern. Evaluations of these estimates undertaken by the Census

Bureau have shown that they suffered from bias due to survey nonresponse with CPS income estimates being on the high side and the estimate of those under poverty being on the low side. The impact of these CPS estimates on the quality of MEPS estimates has been carefully considered. The approach used for the MEPS Full Year 2021 Consolidated PUF sample weights is discussed in Section 3.3.

A set of references (Bramlett et al., 2021; Dahlhamer et al., 2021; Lau et al, 2021; Rothbaum & Bee, 2021, 2022; Zuvekas & Kashihara, 2021) discussing the fielding of these surveys during the pandemic and possible bias concerns, can be found in the References section of this document.

#### **3.1.4 Modifications to the MEPS HC 2021 Sample Design**

Two key factors were thus expected to raise issues with MEPS plans for fielding a 2021 sample. First, 2020 NHIS data quality and sample size issues were of particular concern for Quarter 2 of that year. Second, roughly half of the NHIS sampled households for Quarter 3 would also have been respondents in the 2019 NHIS so that many of the Quarter 3 NHIS respondents were expected to have already been sampled and fielded for Panel 25 of MEPS. It thus became clear that it would be prudent to modify the 2021 MEPS sample design for MEPS Panel 26. Action had to be taken immediately because the MEPS sample selection from NHIS responding households begins in the late summer/early fall of each year.

AHRQ contacted NCHS, reviewing the various issues and asking if it would be possible that responding households in NHIS Panels 2 and 4 from Quarter 1 of 2020 be made available for MEPS sample selection. Virtually all of these households were interviewed in-person prior to the major onset of the pandemic, so the Quarter 1 response rates for all four NHIS panels were consistent with prior years and the data quality issues associated with the pandemic could be avoided. NCHS was fully supportive of this approach and made NHIS Panels 2 and 4 for Quarter 1 available for use by MEPS. Thus, for MEPS Panel 26, the NHIS responding households subsampled from MEPS were selected from among all NHIS responding households in Quarter 1 as well as those responding in Quarter 3 that were not originally sampled for the 2019 NHIS.

As an adjunct to this modification, it was decided to take advantage of the additional PSUs (sampled localities) available from NHIS Panels 2 and 4 and appearing in the MEPS sample for the first time. State level estimation is of interest to MEPS, and the added PSUs would serve to increase the precision for state level estimates. State estimates that would be expected to benefit the most from these added PSUs were the “middle-sized” states. The largest states already had large sample sizes while precision for the smallest states would remain low. As a result, the MEPS sample focused on oversampling the “middle-sized” states rather than Hispanics, Blacks, and Asians, as has usually been the practice.

Finally, it was decided to collect data for Panels 23 and 24 for nine rounds, so that these two panels will ultimately contribute to MEPS estimates for four calendar years. In so doing, the number of respondents to MEPS will be kept at a relatively high level despite the decline in response rates due to the pandemic. The MEPS FY 2021 PUF records thus consist of data obtained from the following MEPS Panels and corresponding rounds: Panel 23, Rounds 7-9; Panel 24, Rounds 5-7; Panel 25, Rounds 3-5; and Panel 26, Rounds 1-3.

### **3.1.5 Data Quality Issues for MEPS for FY 2021**

Three sources of potential bias were identified for MEPS for FY 2020: long recall period for Round 6 of Panel 23; switching from in-person to telephone interviewing which likely had a larger impact on Panel 25; and the impact of CPS bias on the MEPS weights. A number of statistically significant differences were found between panels for FY 2020. Those findings are discussed in MEPS HC-224.

With this in mind, there were a number of uncertainties for FY 2021 warranting examination. Would Panel 23 data quality increase substantially once the issue of an extensive recall period was eliminated? Would event reporting continue to be generally higher in Panel 25 compared to other panels? Since Panel 26 was the first year MEPS panel in 2021, would Panel 26 estimates tend to be different than those of the other three panels?

Preliminary analyses undertaken to examine the quality of MEPS FY 2021 data appearing on the Full Year 2021 Consolidated PUF have been focused on the comparison of health insurance status distribution (some private insurance, some public insurance, no health insurance) for the MEPS target population between the panels fielded. These comparisons were undertaken for the full sample and the three age groups of 0-17, 18-64, and 65+.

The analyses undertaken thus far suggest no major differences between the four panels for the distribution of health insurance status. Even though slight differences were observed with Panel 25 (e.g., the distribution associated with the age range 18-64 showed a higher percentage of all public insurance compared to the other three panels while those at least 65 years of age showed a lower percentage of some private insurance compared to the other three panels), no statistically significant differences were detected.

Further analyses of MEPS estimates will be conducted as part of the production of the FY 2021 Consolidated PUF to be released later in 2023.

## **3.2 Sample Weight (PERWT21F)**

There is a single full-year person-level weight (PERWT21F) assigned to each record for each key, in-scope person who responded to MEPS for the full period of time that they were in-scope during 2021. A key person was either a member of a responding NHIS household at the time of the interview or joined a family associated with such a household after being out-of-scope at the time of the NHIS (the latter circumstance includes newborns as well as those returning from military service, an institution, or residence in a foreign country). A person is in-scope whenever they are a member of the civilian noninstitutionalized portion of the U.S. population.

## **3.3 Details on Person Weight Construction**

The person-level weight PERWT21F was developed in several stages. Person-level weights for Panel 23, Panel 24, Panel 25, and Panel 26 were created separately. The weighting process for each panel included an adjustment for nonresponse over time and calibration to independent population figures. The calibration was initially accomplished separately for each panel by

raking the corresponding sample weights for those in-scope at the end of the calendar year to Current Population Survey (CPS) population estimates based on six variables. The six variables used in the establishment of the initial person-level control figures were: educational attainment of the reference person (no degree, high school/GED no college, some college, bachelor's degree or higher); census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic; Black, non-Hispanic; Asian, non-Hispanic; and other); sex; and age. A 2021 composite weight was then formed by multiplying each weight from Panel 23 by the factor .22, each weight from Panel 24 by the factor .22, each weight from Panel 25 by the factor .25, and each weight from Panel 26 by the factor .31. The choice of factors reflected the relative effective sample sizes of the four panels, helping to limit the variance of estimates obtained from pooling the four samples. The composite weight was raked to the same set of CPS-based control totals.

The standard approach for MEPS weighting is as follows. When the poverty status information derived from income variables becomes available, a final raking is undertaken. The full sample weight appearing on the Population Characteristics PUF for a given year is re-raked, establishing control figures reflecting poverty status rather than educational attainment. Thus, control totals are established using poverty status (five categories: below poverty, from 100 to 125 percent of poverty, from 125 to 200 percent of poverty, from 200 to 400 percent of poverty, at least 400 percent of poverty) as well as the other five variables previously used in the weight calibration.

### **3.3.1 MEPS Panel 23 Weight Development Process**

The person-level weight for MEPS Panel 23 was developed using the 2020 full-year weight for an individual as a “base” weight for 2020 survey participants present in 2021. For key, in-scope members who joined an RU some time in 2021 after being out-of-scope in 2020, the initially assigned person-level weight was the corresponding 2020 family weight. The weighting process included an adjustment for person-level nonresponse over Rounds 8 and 9 as well as raking to population control figures for December 2021 for key, responding persons in-scope on December 31, 2021. These control totals were derived by scaling back the population distribution obtained from the March 2022 CPS to reflect the December 31, 2021 estimated population total (estimated based on Census projections for January 1, 2022). Variables used for person-level raking included: education of the reference person (three categories: no degree; high school/GED only or some college; Bachelor's or higher degree); Census region (Northeast, Midwest, South, West); MSA status (MSA, non-MSA); race/ethnicity (Hispanic; Black, non-Hispanic; Asian, non-Hispanic; and other); sex; and age. (It may be noted that for confidentiality reasons, the MSA status variables are no longer released for public use.) The final weight for key, responding persons who were not in-scope on December 31, 2021 but were in-scope earlier in the year was the nonresponse-adjusted person weight without raking.

The 2020 full-year weight used as the base weight for Panel 23 was derived from the 2018 MEPS Round 1 weight and reflected adjustment for nonresponse over the remaining data collection rounds in 2018, 2019, and 2020 as well as raking to the December 2018, December 2019, and December 2020 population control figures.



### **3.3.2 MEPS Panel 24 Weight Development Process**

The person-level weight for MEPS Panel 24 was developed using the 2020 full-year weight for an individual as a “base” weight for survey participants present in 2021. For key, in-scope members who joined an RU some time in 2021 after being out-of-scope in 2020, the initially assigned person-level weight was the corresponding 2020 family weight. The weighting process included an adjustment for person-level nonresponse over Rounds 6 and 7 as well as raking to the same population control totals for December 2021 used for the MEPS Panel 23 weights for key, responding persons in-scope on December 31, 2021. The same six variables employed for Panel 23 raking (education level, census region, MSA status, race/ethnicity, sex, and age) were also used for Panel 24 raking. Similar to Panel 23, the Panel 24 final weight for key, responding persons not in-scope on December 31, 2021 but in-scope earlier in the year was the nonresponse-adjusted person weight without raking.

Note that the 2020 full-year weight that was used as the base weight for Panel 24 was derived using the 2019 MEPS Round 1 weight and reflected adjustment for nonresponse over the remaining data collection rounds in 2019 and 2020 as well as raking to the December 2019 and December 2020 population control figures.

### **3.3.3 MEPS Panel 25 Weight Development Process**

The person-level weight for MEPS Panel 25 was developed using the 2020 full year weight for an individual as a “base” weight for survey participants present in 2021.

For key, in-scope members who joined an RU sometime in 2021 after being out-of-scope in 2020, the initially assigned person-level weight was the corresponding 2020 family weight. The weighting process also included an adjustment for person-level nonresponse over Rounds 4 and 5 as well as raking to the same population control figures for December 2021 used for the MEPS Panels 23 and 24 weights for key, responding persons in-scope on December 31, 2021. The same six variables employed for Panels 23 and 24 raking (education level, census region, MSA status, race/ethnicity, sex, and age) were also used for Panel 25 raking. Similar to Panels 23 and 24, the Panel 25 final weight for key, responding persons not in-scope on December 31, 2021 but in-scope earlier in the year was the nonresponse-adjusted person weight without raking.

Note that the 2020 full-year weight that was used as the base weight for Panel 25 was derived using the 2020 MEPS Round 1 weight and reflected adjustment for nonresponse over the remaining data collection rounds in 2020 as well as raking to the December 2020 population control figures.

### **3.3.4 MEPS Panel 26 Weight Development Process**

The person-level weight for MEPS Panel 26 was developed using the 2021 MEPS Round 1 person-level weight as a “base” weight. The MEPS Round 1 weights incorporated the following components: the original household probability of selection for the NHIS and for the NHIS subsample reserved for MEPS and an adjustment for NHIS nonresponse, the probability of selection for MEPS from NHIS, an adjustment for nonresponse at the dwelling unit level for

Round 1, and poststratification to control figures at the person level obtained from the March CPS of the corresponding year. For key, in-scope members who joined an RU after Round 1, the Round 1 DU weight served as a “base” weight.

The weighting process also included an adjustment for nonresponse over the remaining data collection rounds in 2021 as well as raking to the same population control figures for December 2021 used for the MEPS Panel 23, Panel 24, and Panel 25 weights for key, responding persons in-scope on December 31, 2021. The same six variables employed for Panel 23, Panel 24, and Panel 25 raking (education level of the reference person, census region, MSA status, race/ethnicity, sex, and age) were also used for Panel 26 raking. Similar to Panel 23, Panel 24, and Panel 25, the Panel 26 final weight for key, responding persons who were not in-scope on December 31, 2021 but were in-scope earlier in the year was the nonresponse-adjusted person weight without raking.

### **3.3.5 The Final Weight for 2021**

The final raking of those in-scope at the end of the year has been described above. In addition, the composite weights of three groups of persons who were out-of-scope on December 31, 2021 were adjusted for expected undercoverage. Specifically, the weights of those who were in-scope some time during the year, out-of-scope on December 31, and entered a nursing home during the year and still residing in a nursing home at the end of the year were poststratified to an estimate of the number of persons who were residents of Medicare- and Medicaid-certified nursing homes for part of the year (approximately 3-9 months) during 2014. This estimate was developed from data on the Minimum Data Set (MDS) of the Center for Medicare and Medicaid Services (CMS). The weights of persons who died while in-scope were poststratified to corresponding estimates derived using data obtained from the Centers for Disease Control and Prevention (CDC), National Center for Health Statistics (NCHS), Underlying Cause of Death, 2018-2021 on [CDC WONDER Online Database](#), released in 2023, the latest available data at the time. Separate decedent control totals were developed for the “65 and older” and “under 65” civilian noninstitutionalized populations.

Overall, the weighted population estimate for the civilian noninstitutionalized population for December 31, 2021 is 327,209,772 (PERWT21F >0 and INSC1231=1). The sum of person-level weights across all persons assigned a positive person-level weight is 331,249,393.

## **3.4 Coverage**

The target population for MEPS in this file is the 2021 U.S. civilian noninstitutionalized population. However, the MEPS sampled households are a subsample of the NHIS households interviewed in 2017 (Panel 23), 2018 (Panel 24), 2019 (Panel 25), and 2020 (Panel 26). New households created after the NHIS interviews for the respective panels and consisting exclusively of persons who entered the target population after 2017 (Panel 23), after 2018 (Panel 24), after 2019 (Panel 25), or after 2020 (Panel 26) are not covered by MEPS. Neither are previously out-of-scope persons who join an existing household but are unrelated to the current household residents. Persons not covered by a given MEPS panel thus include some members of the

following groups: immigrants; persons leaving the military; U.S. citizens returning from residence in another country; and persons leaving institutions. The set of uncovered persons constitutes a relatively small segment of the MEPS target population. Those not covered represent a small proportion of the MEPS target population.

### **3.5 Using MEPS Data for Trend Analysis**

First, of course, we note that there are uncertainties associated with 2020 and 2021 data quality as discussed earlier in the data quality section (Section 3.1). Preliminary evaluations of a set of MEPS estimates of particular importance suggest that they are of reasonable quality. Nevertheless, analysts are advised to exercise caution in interpreting these estimates, particularly in terms of trend analyses since access to health care was substantially affected by the COVID-19 pandemic as were related factors such as health insurance and employment status for many people.

MEPS began in 1996, and the utility of the survey for analyzing health care trends expands with each additional year of data; however, when examining trends over time using MEPS, the length of time being analyzed should be considered. In particular, large shifts in survey estimates over short periods of time (e.g. from one year to the next) that are statistically significant should be interpreted with caution unless they are attributable to known factors such as changes in public policy, economic conditions, or MEPS survey methodology.

With respect to methodological considerations, in 2013 MEPS introduced an effort focused on field procedure changes such as interviewer training to obtain more complete information about health care utilization from MEPS respondents with full implementation in 2014. This effort likely resulted in improved data quality and a reduction in underreporting starting in the second half of 2013 and throughout 2014 full year files and have had some impact on analyses involving trends in utilization across years. The changes in the NHIS sample design in 2016 and 2018 could also potentially affect trend analyses. The new NHIS sample design is based on more up-to-date information related to the distribution of housing units across the U.S. As a result, it can be expected to better cover the full U.S. civilian, noninstitutionalized population, the target population for MEPS, as well as many of its subpopulations. Better coverage of the target population helps to reduce the potential for bias in both NHIS and MEPS estimates.

Another change with the potential to affect trend analyses involved major modifications to the MEPS instrument design and data collection process, particularly in the events sections of the instrument. These were introduced in the Spring of 2018 and thus affected data beginning with Round 1 of Panel 23, Round 3 of Panel 22, and Round 5 of Panel 21. Since the Full Year 2017 PUFs were established from data collected in Rounds 1-3 of Panel 22 and Rounds 3-5 of Panel 21, they reflected two different instrument designs. In order to mitigate the effect of such differences within the same full year file, the Panel 22 Round 3 data and the Panel 21 Round 5 data were transformed to make them as consistent as possible with data collected under the previous design. The changes in the instrument were designed to make the data collection effort more efficient and easy to administer. In addition, expectations were that data on some items, such as those related to health care events, would be more complete with the potential of identifying more events. Increases in service use reported since the implementation of these

changes are consistent with these expectations. ***Data users should be aware of possible impacts on the data and especially trend analyses for these data years due to the design transition.***

Process changes, such as data editing and imputation, may also affect trend analyses. For example, users should refer to Section 2.5.11 in the 2021 Consolidated file (HC-233) and, for more detail, the documentation for the prescription drug file (HC-229A) when analyzing prescription drug spending over time.

As always, it is recommended that data users review relevant sections of the documentation for descriptions of these types of changes that might affect the interpretation of changes over time before undertaking trend analyses.

Analysts may also wish to consider using statistical techniques to smooth or stabilize analyses of trends using MEPS data such as comparing pooled time periods (e.g. 1996-1997 versus 2011-2012), working with moving averages, or using modeling techniques with several consecutive years of MEPS data to test the fit of specified patterns over time.

Finally, statistical significance tests should be conducted to assess the likelihood that observed trends are not attributable to sampling variation. In addition, researchers should be aware of the impact of multiple comparisons on Type I error. Without making appropriate allowance for multiple comparisons, undertaking numerous statistical significance tests of trends increases the likelihood of concluding that a change has taken place when one has not.

## 4.0 Strategies for Estimation

### 4.1 Developing Event-Level Estimates

The data in this file can be used to develop national 2021 event-level (i.e., monthly) estimates for the U.S. civilian noninstitutionalized population on expenditures and sources of payment for home health care medical provider visits. The weight assigned to each home health care medical provider event reported is the person-level weight of the person who was visited. If a person had several events reported, each event is assigned that individual's person-level weight. Estimates must be weighted by PERWT21F to be nationally representative. For example, the appropriate estimate for the overall mean out-of-pocket payment per month of care is computed as follows (the subscript 'j' identifies each event and represents a numbering of events from 1 through the total number of events in the file):

$$(\sum W_j X_j) / (\sum W_j), \text{ where}$$

$$W_j = \text{PERWT21F}_j \quad (\text{full-year person weight for the person associated with event } j) \text{ and}$$
$$X_j = \text{HHSF21X}_j \quad (\text{amount paid by self/family for event } j)$$

Estimates and corresponding [standard errors \(SE\)](#) can be derived using an appropriate computer software package for complex survey analysis such as SAS, Stata, SUDAAN, R or SPSS.

The tables below contain the event-level estimates for several key variables on this file. Informal care (MPCELIG = 3) is not included in the tables because, by definition, there are no payments for those events and, therefore, no expenditure data are collected.

**Selected Event-Level Estimates**

**Expenditures: Home Health Agency & Paid Independents (MPCELIG = 1, 2)**

<b>Estimate of Interest</b>	<b>Variable</b>	<b>Estimate (SE)</b>	<b>Estimate Excluding Zero Payment Events (SE)</b>
Proportion of events with expenditures > 0*	HHXP21X	0.987 (0.0033)	_____
Mean total payments per month of care	HHXP21X	\$1,594 (118.2000)	\$1,616 (120.0000)
Mean out-of-pocket payments per month of care	HHSF21X	\$81 (16.6000)	\$82 (16.8000)
Mean proportion of total monthly expenditures paid out of pocket	HHSF21X/ HHXP21X	_____	0.121 (0.0137)

**Expenditures: Home Health Agency Providers only (MPCELIG = 1)**

<b>Estimate of Interest</b>	<b>Variable</b>	<b>Estimate (SE)</b>	<b>Estimate Excluding Zero Payment Events (SE)</b>
Proportion of events with expenditures > 0*	HHXP21X	0.985 (0.0039)	_____
Mean total payments per month of care	HHXP21X	\$1,739 (136.8000)	\$1,766 (139.2000)
Mean out-of-pocket payments per month of care	HHSF21X	\$17 (8.1000)	\$17 (8.3000)
Mean proportion of total monthly expenditures paid out of pocket	HHSF21X/ HHXP21X	_____	0.016 (0.0040)

**Expenditures: Paid Independent Providers only (MPCELIG = 2)**

<b>Estimate of Interest</b>	<b>Variable</b>	<b>Estimate (SE)</b>	<b>Estimate Excluding Zero Payment Events (SE)</b>
Proportion of events with expenditures > 0*	HHXP21X	0.995 (0.0026)	_____
Mean total payments per month of care	HHXP21X	\$862 (129.9000)	\$866 (130.6000)

<b>Estimate of Interest</b>	<b>Variable</b>	<b>Estimate (SE)</b>	<b>Estimate Excluding Zero Payment Events (SE)</b>
Mean out-of-pocket payments per month of care	HHSF21X	\$404 (87.4000)	\$405 (87.8000)
Mean proportion of total monthly expenditures paid out of pocket	HHSF21X/ HHXP21X	_____	0.641 (0.0523)

\*Zero payment events can occur in MEPS for the following reasons: (1) there was no charge for a follow-up event, (2) the provider was never paid by an individual, insurance plan, or other source for services provided, (3) the charges were included in another bill, or (4) the event was paid for through government or privately-funded research or clinical trials.

### 4.2 Person-Based Estimates for Home Health Care

To enhance analyses of home health care, analysts may link information about the home health care received by sample persons in this file to the annual full-year consolidated file (which has data for all MEPS sample persons), or conversely, link person-level information from the full-year consolidated file to this event-level file. Both this file and the full-year consolidated file may be used to derive estimates relative to persons with home health care and annual estimates of total expenditures. However, for estimates that pertain to those who did not receive home health care as well as those who did (for example, the percentage of adults with at least one month in which home health care was provided during the past year or the mean number of home health care visits in the past year among those 65 or older), this file cannot be used. Only those persons with at least one month in which home health care was provided are represented on this data file. The full-year consolidated file must be used for person-level analyses that include both those with and without home health care.

### 4.3 Variables with Missing Values

It is essential that the analyst examine all variables for the presence of negative values used to represent missing values. For continuous or discrete variables, where means or totals may be taken, it may be necessary to set negative values to values appropriate to the analytic needs. That is, the analyst should either impute a value or set the value to one that will be interpreted as missing by the software package used. For categorical and dichotomous variables, the analyst may want to consider whether to recode or impute a value for cases with negative values or whether to exclude or include such cases in the numerator and/or denominator when calculating proportions. Methodologies used for the editing/imputation of expenditure variables (e.g., sources of payment and zero expenditures) are described in “Data Editing and Imputation Methodologies of Expenditure Variables.”

### 4.4 Variance Estimation (VARPSU, VARSTR)

To obtain estimates of variability (such as the standard error of sample estimates or corresponding confidence intervals) for MEPS estimates, analysts need to take into account the complex sample design of MEPS for both person-level and family-level analyses. Several

methodologies have been developed for estimating standard errors for surveys with a complex sample design, including the Taylor-series linearization method, balanced repeated replication, and jackknife replication. Various software packages provide analysts with the capability of implementing these methodologies. MEPS analysts most commonly use the Taylor Series approach. Although this data file does not contain replicate weights, the capability of employing replicate weights constructed using the Balanced Repeated Replication (BRR) methodology is also provided if needed to develop variances for more complex estimators (see Section 4.4.2).

#### **4.4.1 Taylor-series Linearization Method**

The variables needed to calculate appropriate standard errors based on the Taylor-series linearization method are included on this file as well as all other MEPS public use files. Software packages that permit the use of the Taylor-series linearization method include SUDAAN, Stata, R, SAS (version 8.2 and higher), and SPSS (version 12.0 and higher). For complete information on the capabilities of a package, analysts should refer to the corresponding software user documentation.

Using the Taylor-series linearization method, variance estimation strata and the variance estimation PSUs within these strata must be specified. The variables VARSTR and VARPSU on this MEPS data file serve to identify the sampling strata and primary sampling units required by the variance estimation programs. Specifying a “with replacement” design in one of the previously mentioned computer software packages will provide estimated standard errors appropriate for assessing the variability of MEPS survey estimates. It should be noted that the number of degrees of freedom associated with estimates of variability indicated by such a package may not appropriately reflect the number available. For variables of interest distributed throughout the country (and thus the MEPS sample PSUs), one can generally expect to have at least 100 degrees of freedom associated with the estimated standard errors for national estimates based on this MEPS database.

Prior to 2002, MEPS variance strata and PSUs were developed independently from year to year, and the last two characters of the strata and PSU variable names denoted the year. Beginning with the 2002 Point-in-Time PUF, the approach changed with the intention that variance strata and PSUs would be developed to be compatible with all future PUFs until the NHIS design changed. Thus, when pooling data across years 2002 through the Panel 11 component of the 2007 files, the variance strata and PSU variables provided can be used without modification for variance estimation purposes for estimates covering multiple years of data. There are 203 variance estimation strata, each stratum with either two or three variance estimation PSUs.

From Panel 12 of the 2007 files, a new set of variance strata and PSUs were developed because of the introduction of a new NHIS design. There are 165 variance strata with either two or three variance estimation PSUs per stratum, starting from Panel 12. Therefore, there are a total of 368 (203+165) variance strata in the 2007 Full-Year file as it consists of two panels that were selected under two independent NHIS sample designs. Since both MEPS panels in the full-year files from 2008 through 2016 are based on the next NHIS design, there were only 165 variance strata. These variance strata (VARSTR values) have been numbered from 1001 to 1165 so that

they can be readily distinguished from those developed under the former NHIS sample design if data are pooled for several years.

The NHIS sample design was changed again in 2016, effectively changing the MEPS design beginning with calendar year 2017. From Panel 22 of the 2017 files, a new set of variance strata and PSUs were developed. There are 117 variance strata with either two or three variance estimation PSUs per stratum. Therefore, there are a total of 282 (165+117) variance strata in the 2017 Full Year file as it consists of two panels that were selected under two independent NHIS sample designs. To make the pooling of data across multiple years of MEPS more straightforward, the numbering system for the variance strata has changed. Those strata associated with the new design were numbered from 2001 to 2117

However, the new NHIS sample design was further modified in 2018. With the modification in the 2018 NHIS sample design, the MEPS variance structure for the 2019 Full Year file was also modified, reducing the number of variance strata to 105. Consistency was maintained with the prior structure in that the 2019 Full Year file variance strata were also numbered within the range of values from 2001-2117, although there are now gaps in the values assigned within this range. Due to the modification, each stratum could contain up to five variance estimation PSUs.

For Panel 26 in the 2021 Full Year file, additional NHIS sample was used for MEPS to account for increasing nonresponse during the pandemic (as discussed in Section 3.1.3). The additional sample was assigned to the existing variance strata, so the 2021 Full Year file continues to have 105 variance strata, numbered 2001-2117, with a few gaps in the values in that range. In many cases, the additional sample was assigned to new variance estimation PSUs, so in the 2021 Full Year file, each stratum could contain up to eight variance estimation PSUs.

Some analysts may be interested in pooling data across multiple years of MEPS data. If pooling across years is to be undertaken, it should be noted that, to obtain appropriate standard errors when doing so, it is necessary to specify a common variance structure. Prior to 2002, each annual MEPS public use file was released with a variance structure unique to the particular MEPS sample in that year. Starting in 2002, the annual MEPS public use files were released with a common variance structure that allowed users to pool data from 2002 through 2018. However, with the need to modify the variance structure beginning with 2019, this can no longer be routinely done.

To ensure that variance strata are identified appropriately for variance estimation purposes when pooling MEPS data across several years, one can proceed as follows:

1. When pooling any year between 2002 through 2018, use the variance strata numbering as is.
2. When pooling (a) any year from 1996 to 2001 with any year from 2002 or later, or (b) the year 2019 and beyond with any earlier year, use the pooled linkage public use file HC-036 that contains the proper variance structure. The HC-036 file is updated every year so that appropriate variance structures are available with pooled data. Further details on the HC-036 file can be found in the public use documentation of the HC-036 file.



#### **4.4.2 Balanced Repeated Replication (BRR) Method**

BRR replicate weights are not provided on this MEPS PUF for the purposes of variance estimation. However, a file containing a BRR replication structure is made available so that the users can form replicate weights, if desired, from the final MEPS weight to compute variances of MEPS estimates using either BRR or Fay's modified BRR (Fay, 1989) methods. The replicate weights are useful to compute variances of complex non-linear estimators for which a Taylor linear form is not easy to derive and not available in commonly used software. For instance, it is not possible to calculate the variances of a median or the ratio of two medians using the Taylor linearization method. For these types of estimators, users may calculate a variance using BRR or Fay's modified BRR methods. However, it should be noted that the replicate weights have been derived from the final weight through a shortcut approach. Specifically, the replicate weights are not computed starting with the base weight and all adjustments made in different stages of weighting are not applied independently in each replicate. Thus, the variances computed using this one-step BRR do not capture the effects of all weighting adjustments that would be captured in a set of fully developed BRR replicate weights. The Taylor Series approach does not fully capture the effects of the different weighting adjustments either.

The dataset, HC-036BRR, MEPS 1996-2021 Replicates for Variance Estimation File, contains the information necessary to construct the BRR replicates. It contains a set of 128 flags (BRR1-BRR128) in the form of half sample indicators, each of which is coded 0 or 1 to indicate whether the person should or should not be included in that particular replicate. These flags can be used in conjunction with the full-year weight to construct the BRR replicate weights. For analysis of MEPS data pooled across years, the BRR replicates can be formed in the same way using the HC-036, MEPS 1996-2021 Pooled Linkage Variance Estimation File. For more information about creating BRR replicates, users can refer to the documentation for the [HC-036BRR pooled linkage file](#) on the AHRQ website.

## **5.0 Merging/Linking MEPS Data Files**

Data from this file can be used alone or in conjunction with other files for different analytic purposes. This section provides details on where to find the instructions for linking the 2021 home health provider events with other 2021 MEPS public use files, including the 2021 Medical Conditions file. Each MEPS panel can also be linked back to the previous year's National Health Interview Survey public use data files. For information on MEPS/NHIS link files please see the [MEPS website](#).

The CLNK file provides a link from the 2021 MEPS event files to the 2021 Medical Conditions file. When using the CLNK file, data users/analysts should keep in mind that (1) conditions are household reported and (2) there may be multiple conditions associated with a home health provider event. Data users/analysts should also note that not all home health provider events link to the conditions file.

## References

- Bramlett, M.D., Dahlhamer, J.M., & Bose, J. (2021, September). [Weighting Procedures and Bias Assessment for the 2020 National Health Interview Survey](#). Centers for Disease Control and Prevention.
- Chowdhury, S.R., Machlin, S.R., & Gwet, K.L. [Sample Designs of the Medical Expenditure Panel Survey Household Component, 1996-2006 and 2007-2016. Methodology Report #33](#). January 2019. Agency for Healthcare Research and Quality, Rockville, MD.
- Cohen, S.B. (1996). The Redesign of the Medical Expenditure Panel Survey: A Component of the DHHS Survey Integration Plan. *Proceedings of the COPAFS Seminar on Statistical Methodology in the Public Service*.
- Cox, B.G. and Cohen, S.B. (1985). *Chapter 8: Imputation Procedures to Compensate for Missing Responses to Data Items*. In *Methodological Issues for Health Care Surveys*. Marcel Dekker, New York.
- [Current Population Survey: 2021 Annual Social and Economic \(ASEC\) Supplement](#). (2021). U.S. Census Bureau.
- Dahlhamer, J.M., Bramlett, M.D., Maitland, A., & Blumberg, S.J. (2021). [Preliminary evaluation of nonresponse bias due to the COVID-19 pandemic on National Health Interview Survey estimates, April-June 2020](#). National Center for Health Statistics.
- Fay, R.E. (1989). Theory and Application of Replicate Weighting for Variance Calculations. *Proceedings of the Survey Research Methods Sections, ASA*, 212-217.
- Lau, D.T., Sosa, P., Dasgupta, N., & He, H. (2021). [Impact of the COVID-19 Pandemic on Public Health Surveillance and Survey Data Collections in the United States](#). *American Journal of Public Health*, 111 (12), pp. 2118-2121.
- Monheit, A.C., Wilson, R., and Arnett, III, R.H. (Editors) (1999). *Informing American Health Care Policy*. Jossey-Bass Inc., San Francisco.
- Rothbaum, J. & Bee, A. (2021, May 3). [Coronavirus Infects Surveys, Too: Survey Nonresponse Bias and the Coronavirus Pandemic](#). U.S. Census Bureau.
- Rothbaum, J. & Bee, A. (2022, September 13). [How Has the Pandemic Continued to Affect Survey Response? Using Administrative Data to Evaluate Nonresponse in the 2022 Current Population Survey Annual Social and Economic Supplement](#). U.S. Census Bureau.
- RTI International (2019). *Medical Provider Component (MEPS-MPC) Methodology Report 2017 Data Collection*. Rockville, MD. Agency for Healthcare Research and Quality.

Shah, B.V., Barnwell, B.G., Bieler, G.S., Boyle, K.E., Folsom, R.E., Lavange, L., Wheelless, S.C., and Williams, R. (1996). *Technical Manual: Statistical Methods and Algorithms Used in SUDAAN Release 7.0*. Research Triangle Park, NC: Research Triangle Institute.

Zuvekas, S.H. & Kashihara, D. (2021). [The Impacts of the COVID-19 Pandemic on the Medical Expenditure Panel Survey](#). *American Journal of Public Health, 111 (12)*, pp. 2157-2166.

## D. Variable-Source Crosswalk

### FOR MEPS HC-229H: 2021 HOME HEALTH VISITS

#### Survey Administration Variables

Variable	Description	Source
DUID	Panel # + Encrypted DU identifier	Assigned in sampling
PID	Person number	Assigned in sampling
DUPERSID	Person ID (DUID + PID)	Assigned in sampling
EVNTIDX	Event ID	Assigned in sampling
EVENTRN	Event round number	CAPI derived
PANEL	Panel Number	Constructed

#### Home Health Events Variables

Variable	Description	Source
HHDATEYR	Event date - year	CAPI derived
HHDATEMM	Event date - month	CAPI derived
MPCELIG	MPC eligibility flag	Constructed
SELFAGEN	Does provider work for agency or self	EV60
HHTYPE	Home health event type	EV50
CNA_M18	Type of prof hlth care wrkr - cert nurse asst	HH10
DIETICN_M18	Type of prof hlth care wrkr - dietitian/nutrt	HH10
IVTHP_M18	Type of prof hlth care wrkr - iv or infusion therapist	HH10
MEDLDOC_M18	Type of prof hlth care wrkr - medical doctor	HH10
NURPRACT_M18	Type of prof hlth care wrkr - nurse/practr	HH10
OCCUPTHP_M18	Type of prof hlth care wrkr - occupational therap	HH10
PHYSLTHP_M18	Type of prof hlth care wrkr - physical therapy	HH10
RESPTHP_M18	Type of prof hlth care wrkr - respira therapy	HH10

<b>Variable</b>	<b>Description</b>	<b>Source</b>
SOCIALW_M18	Type of prof hlth care wrkr - social worker	HH10
SPEECTHP_M18	Type of prof hlth care wrkr - speech therapy	HH10
HCarWrkrProfNone_M18	None of the listed professional home health providers	HH10
COMPANN_M18	Type of non prof hlth care wrkr - companion	HH20
HMEMAKER_M18	Type of non prof hlth care wrkr - homemaker/house cleaner	HH20
HHAIDE_M18	Type of non prof hlth care wrkr - home health / care aide	HH20
HOSPICE_M18	Type of non prof hlth care wrkr - hospice worker	HH20
NURAIDE_M18	Type of non prof hlth care wrkr - nurse's aide	HH20
PERSONAL_M18	Type of non prof hlth care wrkr - pers care attdt	HH20
HCarWrkrNonProfNone_M18	None of the listed non professional home health providers	HH20
VSTRELCN	Any hh care svce related to hlth cond	HH70
FREQCY	Provider helped every week/some weeks	HH90
DAYSPWK	# days / week provider came	HH100
DAYSPMO	# days / month provider came	HH110
SAMESVCE_M18	Any oth mons per received same services	HH120
HHDAYS	Days per month in home health, 2021	Constructed

### **Imputed Expenditure Variables**

<b>Variable</b>	<b>Description</b>	<b>Source</b>
HHSF21X	Amount paid, family (Imputed)	CP Section (Edited)
HHMR21X	Amount paid, Medicare (Imputed)	CP Section (Edited)
HHMD21X	Amount paid, Medicaid (Imputed)	CP Section (Edited)
HHPV21X	Amount paid, private insurance (Imputed)	CP Section (Edited)
HHVA21X	Amount paid, Veterans/CHAMPVA (Imputed)	CP Section (Edited)
HHTR21X	Amount paid, TRICARE (Imputed)	CP Section (Edited)
HHOF21X	Amount paid, other federal (Imputed)	CP Section (Edited)
HHSL21X	Amount paid, state & local gov (Imputed)	CP Section (Edited)

<b>Variable</b>	<b>Description</b>	<b>Source</b>
HHWC21X	Amount paid, workers comp (Imputed)	CP Section (Edited)
HHOT21X	Amount paid, other insurance (Imputed)	CP Section (Edited)
HHXP21X	Sum of HHSF21X - HHOT21X (Imputed)	Constructed
HHTC21X	Household reported total charge (Imputed)	CP Section (Edited)
IMPFLAG	Imputation status	Constructed

### **Weights Variables**

<b>Variable</b>	<b>Description</b>	<b>Source</b>
PERWT21F	Expenditure file person weight, 2021	Constructed
VARSTR	Variance estimation stratum, 2021	Constructed
VARPSU	Variance estimation PSU, 2021	Constructed